COMEN Share with the World





Shenzhen Comen Medical Instruments Co., Ltd.

Add: No.2 of FIYTA Timepiece Building, Nanhuan Avenue, Matian Sub-district, Guangming District, Shenzhen, 518106, Guangdong, China. Tel:+86-755-2640 8879 400-700-9488 Fax:+86-755-2643 1232 Website: en.comen.com E-mail: info@szcomen.com

P/N: EN-BQ80-4P-20210609-V1.1





BQ80

COMON

Infant Radiant Warmer

New Comprehensive Neonatal Nursing Platform

This is by far the most powerful 4 in 1 neonatal nursing platform. The BQ80 integrates four key rescue and nursing systems to achieve one-stop operation and management. At the same time, it scientifically optimizes the workflow, helps medical staff to easily respond to urgent medical needs, effectively saves the valuable rescue time, and provides comprehensive and meticulous care for newborns.





Warm and Caring

Far infrared ceramic heating tube

Utilize Elstein far infrared ceramic heating tube, which greatly improve the radition efficiency and extend the duration.

Perfect to absorded by skin and effectively accelerate blood circulation, by which the visceral temperature and body surface temperature rise simultaneously in short time.

Double heating tube design accelerate the heating rate and ideally distribute the heat on the surface even the mattress is tilted, which provides warm and comfortable for neonatal.

Apply high-accurate double thermistor temperature sensor and increase its accuracy of temperature monitoring.

Thermal conduction gel mattress

Environmental silicon gel, with great biocompatibility Soft and comfortable, great thermo performance Anti-bacterium, easy to clean and disinfect as well as reduce bedsore

Life Resuscitation

T- Piece

Consistent with TABC standard of International Asphyxia Resuscitation Guidance. Providing safe and effective integrated asphyxia resuscitation and ventilation management including negative pressure sputum suction, positive pressure resuscitation, and oxygen therapy;

Provides safe, stable and controllable PIP and PEEP to ensure functional residual capacity (FRC) and improve lung compliance;

With air oxygen mixing function, oxygen concentration control accuracy in \pm 3%;

APGAR score timer

Convenient and timely assessment of the newborn's condition.

BQ80 integrates specialized neonatal monitoring system. It can monitor the vital signs and waveforms of newborns in real time during resuscitation without additional patient monitor, so that medical staff can evaluate and decide if the resuscitation measures are effective.

Specialized Neonatal Monitoring System

resuscitation;

× 🚥



Timely Monitoring

Includes specialized ExNeo neonatal ECG technology, Adap- DSP self-adaptive blood pressure processing technology, Masimo SET neonatal blood oxygen technology, patented neonatal apnea self-rescue technology, and equipped with specialized neonatal accessories that have passed the biocompatibility test; Whether it is to ensure the accuracy of ECG, respiration, blood oxygen, blood pressure, or to treat the suffocating symptoms caused by apnea, it has obvious advantages, which provides great convenience for newborn rescue and

Ergonomic Design

Simplify operation, improve efficiency, and save valuable time for medical staff.

Hands-free Alarm Silence

It's able to eliminate the alarm sound just by waving your hand in front of the sensor without touching the machine; help you maintain a clean, quiet and warm nursing environment, and effectively prevent the occurrence of hospital infection.







COMEN 04



12 1* 1* 2* -* 0 U A

High-end LED light source

Natural and soft blue light Adapt CREE high-brightness LED chip and its current conversion efficiency up to 90% The effective wavelength range of light is 430-490nm; The energy of light is up to 45µW/cm2/nm, with high, medium and low three-position switch for personalized Jaundice treatment;

MIX-light System

By multiple reflection and uniform combination of blue and white beam of light, Mixing-Light system effectively ease nurses' discomfort while operating. Application of two-lens enable blue spots to perfectly cover the whole surface of bed without light leak. Display of cumulative and single illumination time period facilitate nurses to recognize the service time of

time for more than 50,000 hours

Self-adaptive Brightness Adjustment Touch Screen

- 10.4-inch color LCD touch screen
- Centralized display of all neonatal waveforms and data for easy viewing and operation
- Ambient light sensor, automatically adjusted screen brightness

360° Visible Alarm Indicator

The alarm can be detected from every angle, whereby event can be more noticeable.



Humanized Damping Door

Built-in damping components, reduce the influence of noise to neonatal







Bed Tilting

The bed can be tilted through the touch screen, support one-button angle adjustment, can be leveled with one button when weighing, accurate and fast;

Patented Tilt Angle Display


The patented tilt angle display function is accurate and visualized by built-in angle sensor,



Built-in X-ray Film Box

X-ray film box is placed under the crib, no need to move the neonatal during shooting X-rays, avoiding adverse stimulation and reducing the risk of infection.

Pass-through Drawer



medium, and low three-position adjustment, enables medical staff to clearly observe the

Integrated Electronic Scale

Measuring the weight of neonatal, convenient to record and observe neonate growth trends

